

Package: jlst (via r-universe)

October 1, 2024

Title Joint location-and-scale tests

Version 0.0.2

Date 04-01-2024

Description Joint location-and-scale tests for joint testing of mean (location) and variance (scale).

License GPL-3

URL <https://jrs95.github.io/jlst/>, <https://github.com/jrs95/jlst>

BugReports <https://github.com/jrs95/jlst/issues>

Depends R (>= 3.4.0)

Imports quantreg

Encoding UTF-8

ByteCompile true

LazyData true

RoxygenNote 7.2.3

Repository <https://mrcieu.r-universe.dev>

RemoteUrl <https://github.com/jrs95/jlst>

RemoteRef HEAD

RemoteSha df70047c8ac6892a1e6bf435b2cb22fea8d622c8

Contents

jlsp	2
jlssc	3
vartest	4

Index	5
--------------	----------

`jlsp`*Joint location-and-scale test using Fisher's method*

Description

`jlsp` performs the joint location-and-scale test using Fisher's method.

Usage

```
jlsp(y, x, covar = NULL, covar.var = FALSE, var.type = 1, x.sq = FALSE)
```

Arguments

<code>y</code>	vector of outcome values
<code>x</code>	vector of exposure values
<code>covar</code>	<code>data.frame</code> of covariates
<code>covar.var</code>	adjust the second stage (variance component) of the approach by the covariates
<code>x.sq</code>	include x-squared in the variance part of the model
<code>type</code>	type of test, where 1 = Breusch-Pagan variance test, and 2 = Brown-Forsythe variance test (default: 1)

Value

`jlsp` returns a list of results:

<code>Q / F</code>	the test statistic
<code>DF</code>	the degrees of freedom
<code>P</code>	the p-value

Author(s)

James Staley jrstaley95@gmail.com

Examples

```
x <- rbinom(1000, 1, 0.5)
y <- 0.5 + 0.025 * x + rnorm(1000, 0, sqrt(0.005 * x)) + rnorm(1000, 0, 0.1)
jlsp(y, x, var.type = 2)
```

jlssc *Joint location-and-scale test*

Description

jlssc performs the joint location-and-scale score test.

Usage

```
jlssc(y, x, covar = NULL, type = 1, x.sq = FALSE, x.reg = TRUE)
```

Arguments

y	vector of outcome values
x	vector of exposure values
covar	data.frame of covariates
type	type of test, where 1 = Breusch-Pagan variance test, 2 = Brown-Forsythe variance test, 3 = Method of moments version of test 1, and 4 = Method of moments version of test 2] (default: 1)
x.sq	include x-squared in the model
x.reg	regress out the covariates from the exposure terms

Value

jlst returns a data.frame of results:

Q	the test statistic
DF	the degrees of freedom
P	the p-value

Author(s)

James Staley jrstaley95@gmail.com

Examples

```
x <- rbinom(1000, 1, 0.5)
y <- 0.5 + 0.025 * x + rnorm(1000, 0, sqrt(0.005 * x)) + rnorm(1000, 0, 0.1)
jlssc(y, x)
```

vartest *Variability tests*

Description

vartest performs variability tests by either the Breusch-Pagan or Brown-Forsythe methods.

Usage

```
vartest(y, x, covar = NULL, covar.var = FALSE, type = 1, x.sq = FALSE)
```

Arguments

y	vector of outcome values
x	vector of exposure values
covar	data.frame of covariates
covar.var	adjust the second stage (variance component) of the approach by the covariates
type	type of test, where 1 = Breusch-Pagan variance test, and 2 = Brown-Forsythe variance test (default: 1)
x.sq	include x-squared in the variance part of the model

Value

vartest returns a list of results:

coef	model coefficients from variance part of the model
test	data.frame of test results

- F: the test statistic
- DF: the degrees of freedom
- P: the p-value

Author(s)

James Staley jrstaley95@gmail.com

Examples

```
x <- rbinom(1000, 1, 0.5)
y <- 0.5 + 0.025 * x + rnorm(1000, 0, sqrt(0.005 * x)) + rnorm(1000, 0, 0.1)
vartest(y, x, type = 2)
```

Index

jlsp, 2
jlssc, 3
vartest, 4